

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3989	(insert\$4 near3 "o" or zero) and "no" near3 signal near3 received	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 08:51
L2	71	(insert\$4 near3 "o" or zero) and "no" near3 signal near3 received near3 station	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 08:52
L3	85	(insert\$4 near3 "0" or zero) and "no" near3 signal near3 received near4 station	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 08:52
L4	5	insert\$4 near3 ("0" or zero) and "no" near3 signal near3 received near4 station	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 08:54
L5	0	(decod\$5 or demodulat\$4) and add\$4 near3 ("0" or zero) near3 "no" near3 signal near3 received near4 station	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 08:59
L6	0	(decod\$5 or demodulat\$4 or receiver) and all near3 ("0" or zero) near3 "no" near3 signal near3 received	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 08:59
L7	0	(decod\$5 or demodulat\$4 or receiver) and insert\$3 near3 ("0" or zero) near3 ("not" or "no") near3 respoed\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 09:00
L8	18	(decod\$5 or demodulat\$4 or receiver) and insert\$3 near3 ("0" or zero) near3 ("not" or "no") near6 signal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 09:03
L9	114	(add\$4 or insert\$3) near3 ("0" or zero) near3 ("no") near6 signal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 09:20
L10	254	(add\$4 or insert\$3) near3 ("0" or zero) and (("no") near6 signal).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 09:24

L11	13	(add\$4 or insert\$3) near3 ("0" or zero) and (("no") near6 signal near3 received).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 09:28
L12	0	all near3 ("0" or zero) and (("no") near6 respon\$7 near3 signal).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 09:29
L13	0	all near3 ("0" or zero) and receiver and (("no") near6 respon\$7 near3 signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 09:30
L14	41	insert\$5 near4 ("0" or zero) near3 decoder and receiver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 10:25
L15	0	14 and "no" near3 respon\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 09:59
L16	41617	"no" near3 respon\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 09:59
L17	3700	"no" near3 respon\$7 near3 received	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 09:59
L18	1	17 and (insert\$5 near3 zero\$2).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 10:05
L19	44	17 and (insert\$5 near3 zero\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 10:05
L20	65	17 and (insert\$5 or add\$3) near3 zero\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 10:24

L21	1	"20030088822".pn. and (respon\$7 or acknowledg\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 10:25
L22	88	(insert\$5 near4 ("0" or zero) and receiver).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 10:32
L23	0	22 and "not" near3 respond\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 10:29
L24	0	22 and "no" near3 respon\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 10:29
L25	0	22 and "not"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 10:30
L26	1	22 and fail\$4 near3 respon\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 10:30
L27	16	22 and respon\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 10:30
L28	12	(insert\$5 near4 ("0" or zero) and respon\$5 and ("no" or "not")).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 10:34
L29	1	insert\$5 near4 ("0" or zero) with respon\$5 near5 ("no" or "not")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 11:31
L30	2	EP near3 "991198"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 12:00

L31	0	base near3 station near3 "not" near3 respon\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 12:01
L32	2231	base near3 stations and ("no" or "not") near3 respon\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 12:02
L33	23	32 and insert\$5 near3 (zeros or "0"s)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 12:18
L34	261	(receiver or decoder) with insert\$5 near3 (zeros or "0"s)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 12:19
L35	7	34 and ("no" or "not" ) near3 (answer\$4 or reply\$4 or respon\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 12:40
L36	8	34 and ("no" or "not" ) near3 (answer\$4 or reply\$4 or respon\$7 or acknowledg\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 12:34
L37	184	(base near3 station or central near3 station) near3 ("no" or "not" ) near3 (answer\$4 or reply\$4 or respon\$7 or acknowledg\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 12:35
L38	0	37 and decod\$3 near3 all near3 ("zero's" or "0's" "0")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 12:36
L39	4	37 and decod\$3 near4 ("zero's" or "0's" "0")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 12:37
L40	4284	receiver and decod\$3 near4 ("zero's" or "0's" "0")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 12:38

L41	405105	receiver and ("zero's" or "0's" "0")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 12:38
L42	274301	((receiver).ti. or (receiver).ab.) and ("zero's" or "0's" "0")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 12:38
L43	274301	((receiver).ti. or (receiver).ab.) and ("zero's" or "0's" or "0")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 12:39
L44	2180	((receiver).ti. or (receiver).ab.) and (insert\$5 or stuff\$5 or pad\$5 or add\$4) near3 ("zero's" or "0's" or "0")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 12:39
L45	146	44 and ("no" or "not" ) near3 (answer\$4 or reply\$4 or respon\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 12:40